## Form- IV (See rule 13) ANNUAL REPORT

ANNUAL REPORT

[ To be submitted to the prescribed authority on or before 30<sup>th</sup> June every year for the period from January to December of the preceding year, by the occupier of health care facility (HCF) or common bio-medical waste treatment facility (CBWTF)]

SI No	Particulars	
	Particulars of the Occupier	Dr. C.N Manjunath
	(i) name of the authorised person (occupier: operator of facility)	Dr. C.N Manjunath Director (Occupier)
	(ii) Name of the HCF or CBMWTF	
	(iii) Address for Correspondence	M/s Maradi Eco Industries Pvt Ltd.
	(iii) riddiess for Correspondence	Sri. Jayadeva Institute of cardiovascular
	(iv) Address of Facility	sciences & research, B.G road, Bengaluru
	( ) reacted of Facility	M/s Maradi Eco Industries Pvt Ltd.
		Regional Office: 35, 2 <sup>nd</sup> floor, CM plaza,
		No.71, 8 <sup>th</sup> Cross, 1 <sup>st</sup> main, Sampangiramanaga
		Bengaluru.
		Plant: Sy. No 1/37 & 1/38, 35th mile stone,
		Gabbadi kaval, Kanakapura road, Ramanagara Dist.
	(iv) Tel. No, Fax No	+91-080-26534477
	(vi) E-mail ID	drenmanjunath@gmail.com
	(vii) URL of website	www.jayadevacardiology.com
	(viii) GPS coordinates of HCF of	Plant
	CBMWTF	latitude:- 12.7454342
		Longitude :- 77.4877733
	(ix) Ownership of HCF or CBMWTF	Govt of Karnataka – regd – Autonomous
-		Institute
	(x) Status of Authorization under the	Authorization No.: KSPCB/426/
	Bio- Medical Waste (Management and	BMW/2018/REG
	handling) Rules	No. 4740/ 14903/dt.6/Oct/2018 valid up to; 30.06.2021
	(xi). Status of Consents under water	valid upto 30.06.2021 and Extn upto
	Act and Air Act	31.02.2021
	Facility	
	(i) bedded hospital	No. of beds :650
	(ii)Non bedded hospital ( clinic or	Laboratory - clinic or blood bank or Clinically
	Blood Bank of clinical laboratory or	or Research institute
	research institute or veterinary hospital	
	or any other)	
	(iii) Licanca number and its data C	Authorisation No: KSPCB/426/BMW/2018/
	(iii) Licence number and its date of expiry	REG- 4740/ 149037/dt.0610.2018 valid upto
	···p···j	30.06.2021 and Extn upto 31.02.2021
	Details of CBMWTF	
	(i) Number healthcare facilities covered	Shall be provided by M/s Maradi Eco
	by CBMWTF	Industries Pvt Ltd.
	(ii) No of beds covered by CBMWTF	and the state of t
	Control of Child	Shall be provided by M/s Maradi Eco : Industries Pvt Ltd.

	(iii) I 11 1					
	(iii) Installed treatment and dispos	al	Kg per day			
	capacity of CBMWTF		Shall be prov	vided M.	/s Maradi E	co Industrie
***************************************	9iv) Quantity of biomedical was	_	FVLLIG			
	treated or disposed by CBMWTF	te	Shall be prov	rided M	's Maradi E	co Industrie
4.	Quantity of Biomedical waste treated	-				
	disposed in Kg per annum (on month)	) I	Yellow Cates	gory: 29	,143.00 Kg	/ annum
	average basis)	,	Red Category	y: 54,89	6.00 kg / an	num
			White: 5,322	.00 Kg/	annum	The state of the substance of the delication of the substance of the subst
			Blue Categor			num
5.	Details of the Storage, Treatment	+	General Solid	waste:		
	transportation, processing and Disposa	,	A separate bio	medica	al waste stor	rage shed is
	Tacinty	-	available at S.	IICS&R	premises.	
	(i) Details of the on site storage facility		Size			
•	distribution of the state of th		Size		5.40 x 15.	40=83.16
					Sqm	
			Capacity		Capacity t Biomedica	o store
					generated	
					Somerated	ior days.
	6		Provision of c	n- site		
		and the second	storage : (cold		Provision of	of on-site
			storage or any	other	storage.	
			provision)			
	(ii) Disposal facilities	-	Type of	Noo	f   annasite	
			treatment	Units	1	
			equipment	Onnes	Ag day	disposed
						in
-						Kg/annu
						Details a
			· .		,	provided
						by M/s
					and the state of t	Maradi
			<b>.</b>		And the state of t	Eco
_						Industries
-			Incinerators	-		Pvt Ltd
	.8	1	Plasma			
+			Pyrolysis			
-			Autoclaves			
-	*		Microwave			
-			Hydroclave			
		T	Shedder			
-			Needle tip		1	
			cutter or			
			cutter or destroyer	The state of the s		
			cutter or destroyer Sharps			The state of the s
			cutter or destroyer Sharps Encapsulation			
			cutter or destroyer Sharps			

			Chemical
		-	disinfection
			Any other
			treatment
	(iii) Quantity of recycloble	+	equipment
	(iii) Quantity of recyclable wastes sold to authorization recyclers after	- 1	Red category ( like plastic, glass etc.)
	to authorization recyclers after treatment in kg per annum		
	(iv) No of voticles 1.6	-	
	(iv) No of vehicles used for collection		Details as provided by M/s Maradi Eco
	and transportation of biomedical waste	-	Industries Pvt Ltd
	(v) Details of incineration ash and ETP		Details as provided by M/s Maradi Eco
	sludge generated and disposed during		Industries Pvt Ltd
	the treatment of wastes in Kg per		
		-	
	(vi)name of the Common Bio medical waste treatment facility operator		M/s Maradi Eco Industries Pvt Ltd
	through which waste are disposed of	-	
	(vii) List of member HCF not handed over bio medical		Details o of approved by M/s Maradi Eco
6.		_	Industries Pvt Ltd
0.	Do you have bio- medical waste		
	management committee ? If yes, attach		yes
	minutes of the meetings held during the		
7	reporting period	_	
7.	Details trainings conducted on BMW		All the staff have undergone the training on
	(i) Number of trainings and the	_	BMW
	(i) Number of trainings conducted on		All Staff.
	BMW Management.	Ŀ	All Staff.
	(ii) Number of personnel trained	-	
	(iii) number of personnel trained at the time of induction		All new staff have undergone the training
			N. I.
		٠,٠	Nil
	undergone any training so far		Yes
	(v) weather standard manual for		res
	training is available?		17
	(vi) any other information)		Yes
8.	Details of accident occurred during the		•
	year		
	(i) number of Accidents occurred		Nil
	(ii) number of the persons affected	_	Nil
*	(iii) remedial Action taken ( please		N.A
	attach details if any )	_	
	(iv) Any Facility occurred, details.		Nil
9.	Are you meeting the standards of air		Yes
	Pollution from the incinerator ? How		
	many times in last year could not met		
	the standards?	_	
	Details of Continuous online emission		No.
1	monitoring systems installed	- 1	

10.	Liquid waste generated and treatment. methods in place. How many times you have not met the standards in a year?	Through Effluent Treatment Plant.
11.	Is it disinfection method or sterilization meeting the log 4 standards? How many times you have not met the standards in a year?	Yes
12.	Any other relevant information	Nil

Certified that the above report is for the period from January 2021 to December-2021

Date:

Place : Bengaluru

Name and Signature of the Head of the Institution DT. Let. Vianjunain, M.D.,D.M.,
DIRECTOR
Sti Jayadeva Institute of Cardiovascular
Sciences & Research
Sciences & Research
Sciences & Regd Autonomous Institute)
An Elock, Jayanagar Barnerghalla Road
DANGALORE - 550 869