



SRI JAYADEVA INSTITUTE OF CARDIOVASCULAR SCIENCES & RESEARCH

(Govt. of Karnataka - Reg. Autonomous Institute)

Bannerghatta Road, Bengaluru-560 069.

Ph.: +91-80-22977666/276/216/217/433 TELE FAX:080-26534625/477

e-mail: director@jayadevacardiology.com/sjicrprojectengineer@gmail.com

SHORT TERM e-TENDER NOTIFICATION

Sri Jayadeva Institute of Cardiovascular Sciences & Research, Bannerghatta Road, Bengaluru invites tender for the supply of following items in two bid system from eligible tenderers through e-procurement portal of Government of Karnataka:

Sl. No.	Tender Notification No. & Date	Particulars	Quantity
1	SJICR/TS/33/2019-20 dt. 27-11-2019	Supply of Medical & general equipment	1 No
		a) Supply, installation and commissioning of Flat Panel Cath Lab. – with required accessories	1 No
		b) Electro surgical Cautery machine	1 No
		c) EP Lab Recording System with inbuilt stimulator, RF Ablator and Cool flow tubing pump	1 No
		d) SAN Storage for 20 TB usable	1 No
		e) Intra Aortic Balloon Pump	1 No
2	SJICR/TS/34/2019-20 dt. 27-11-2019	Procurement of Medical Journals for the year 2020	
3	SJICR/TS/35/2019-20 dt. 27-11-2019	Supply, installation, testing & commissioning of Talk back system related to fire alarm system at SJICR, Bengaluru.	
4	SJICR/TS/36/2019-20 dt. 27-11-2019	Maintenance of Landscaping at SJIC&R Hospital, K.R.S. Road, Mysuru	
5	SJICR/TS/37/2019-20 dt. 27-11-2019	Supply of 100 kg Chlorine Gas cylinders to ETP plant at SJICR, B.G. Road, Bengaluru.	

1. The tenderers can download the documents from <https://eproc.karnataka.gov.in> from **02-12-2019** and the last date for submission of completed tenders through e-portal is **31-12-2019 upto 4-00 PM.**
2. Date of Pre-bid meeting: **23-12-2019 at 11-30 AM.**
3. Date of Technical Bid opening: **01-01-2020 at 4-00 PM.**
4. **EMD:** as mentioned in the tender document
5. For further details for, please visit our website: **www.jayadevacardiology.com**
6. The Tender Accepting Authority reserves the right to accept/reject/cancel the tender partially or fully without assigning any reason at any stage of processing.

Sd/-

Chief Administrative Officer.

12x16cms